Minutes of RESULTS, PITZ Physics Seminar, 28.05.2015

Project: PITZ

Participants: F. Stephan, G.Vashchenko, C. Hernandez-Garcia, D. Malyutin, Y. Renier, M.Bakr, M. Otevrel, M Krasilnikov, Q. Zhao, M. Gross, P. Boonbonrprasert, J.Good, O.Lishilin, I.Isaev, G.Kourkafas, H.Huck, A.Oppelt

Agenda:

- 1) M.Bakr, "Simulation results of beam emittance from the PITZ 2.5 setup"
- 2) M.Grooss, "Increase laser pulse energy by changing polarization, Effect of beamlet saturation on the emittance measurement."
- 3) RC

Results:

- 1) The simulations use Gun4.2 field profile while the Gun4.1 was used in the previous works by M.Khojoyan.
 - The simulations results for the case of using Flat-top and ellipsoidal laser pulse shapes with different bunch charge from 20pC to 2nC were presented.
 - The emittance from ellipsoidal case decrease significantly compare to the case of Flal-top
- 2) By inserting the $\lambda/2$ wave plate, the laser pulse energy is a bit increase.
 - The beamlet can have some saturation pixels. It doesn't much affect to the measured emittance value.
- 3) Plasma cell is passed the vacuum test.
 - Next running period will be emittance measurement at 4.5MW in the gun.

Next steps:

What is to be done?	By whom?	Until when?	Done on
Simulate for 4 nC and 50 pC	M.Bakr		
Write report about the simulations	M.Bakr		
Include slice emittance	M.Bakr		
Abstract preparation for FEL 2015	M.Bakr		

Protocol prepared by Prach Boonpornprasert, 28.05.2015