## PITZ Run Coordination Meeting 10.05.2012

## Tasks for week 19

- 1. RF1 probably needs conditioning –done?
- 2. Gun long-term tests (RF only?) –done?
- 3. Trajectory studies for best beam shape (emittance), E-beam size at various screens (asymmetry investigations)
- 4. Emittance measurements 1nC: BSA=1.2mm; gun SP phase 0;-6deg (then BSA=1.6 ?) now with correct solenoid polarity
- 5. HEDA2 commissioning?
- 6. AOM tests?
- 7. Streak measurements at LOW.Scr3
- 8. Momentum measurements (gun, booster) phase scans in LEDA/HEDA for various power levels

L					1	I	
Week	Mon	Tue	Wed	Thu	Fri	Sat	Sun
19	May-07	May-08	May-09	May-10	May-11	May-12	May-13
Morn.							
7:00	ss	Gross	AOM te		Gross	Khojoyan	Khojoyan
to	<mark>ພູ ທ</mark> etti	Marchetti	Marchetti	Marchetti	Marchetti	Marchetti	Marchetti
15:30	tests						
Late	n t						
15:00	nissio term oyue	Vashchenko	Vashel i		emittance		Vashchenko
to	commissio ong-term solo	Shapovalov		snapovalov	Shapovalov	Kourkafas	Kourkafas
23:30	alov Suoj						
Night	F1 F2						
23:00	R R <sup>tti</sup>	HED	<mark>A2 commiss</mark>	ioning (cross	s-check with	HEDA1?)	n
to	Kusoljari	mentum me	acuramanta	oljariyakul	Kusoljariyakul	Kusoljariyakul	Kusoljariyakul
7:30		mentum me	asurements				

#	Prio	item	measurements	coordinato r	remarks	Status
1		Min emittance for 0.02; 0.1; 0.25;1;2 and 3nC (new)	Slit scan at EMSY1, optimization BSA, gun phase, Imain	MK, GV	Laser flat-top ~22ps	
1a		Min emittance for various charge optimizing also the laser pulse length	Slit scan at EMSY1, optimization laser pulse length and BSA, gun phase, Imain	MK, GV	Laser pulse length variation = outer loop	
2		Emittance vs. booster gradient	Slit scan at EMSY1	GV	Check low gradient predictions from BDS	
3	+	E-beam temporal profiles with TDS	For different bunch charges, BSAs, laser profiles	DM	TDS has to be commissioned	
4	+	Emission studies	Schottky scans for various BSAs, LT, (+short Gaussian laser pulses?)	MK, BM, JL, M.Rehders ?	Benchmarking for simulations	2 data sets taken
5		Gun and booster stability check	RF and beam based measurements of the phase and amplitude stability	lgl	Resonance accurate check, methods for the amplitude stability ?	
6		Emittance vs. laser rt	Emittance optimization at EMSY1	MG, MKh		
7		Emittance vs. temporal Gaussian laser	Emittance optimization at EMSY1	MG, MKh		
8		E-beam trajectory studies	For the symmetric e-beam and best emittance	МО	?BPMs to be re-commissioned (MK)	
9		Emittance at Ecath=45MV/m	Emittance optimization at EMSY1	GV, Igl		
10	+/-	Emittance along the beam line and tomography	Emittance at EMSY1-3 + cross-check with tomo	GeK, BM, JL	Tomography module re-commissioning (week 3, +GA)	
11		Laser and solenoid BBA	Methodic for XFEL	MK	Solenoid hysteresis!	
12		Slice emittance with HEDA1	Systematic comparison of slit and quad scans for various charges	Yel		
13		Slice emittance with TDS	Commissioning and first measurements	DM, BM		
14	+/-	Longitudinal phase space with TDS	LPS measurements with TDS+HEDA2	DM, KeK		
15		Longitudinal phase space in LOW (HIGH1) section	LPS measurements with aerogel in the LOW (HIG1) section + streak readout	MM	Streak beam line alignment before (MM+MG)	
16	+	Slice emittance with HEDA2	Using DISP3.Scr2	КеК		
17		Cathode studies	QE, QE maps	MO, RM		done
18		AOM tests	With e-beam	MG		First tests
19		Long bunch train operation	Stability and reliability long term check			2,5 tests